

## SAFETY DATA SHEET

### 1. SUBSTANCE AND SOURCE IDENTIFICATION

#### Product Identifier

**SRM Number:** 1085c  
**SRM Name:** Wear Metals in Lubricating Oil  
**Other Means of Identification:** Not applicable.

#### Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended primarily for use in the evaluation of methods and in the calibration of apparatus used in the analysis of engine lubricating oils and other materials of similar matrix for metal content. A unit of SRM 1085c consists of 10 amber borosilicate ampoules, each containing approximately 1.2 g of base oil: five ampoules of a blend of constituent elements in a base oil; and five ampoules of the matching base oil intended for use as an analytical blank and for matrix matching.

#### Company Information

National Institute of Standards and Technology  
 Standard Reference Materials Program  
 100 Bureau Drive, Stop 2300  
 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200  
 FAX: 301-948-3730  
 E-mail: SRMMSDS@nist.gov  
 Website: <http://www.nist.gov/srm>

Emergency Telephone ChemTrec:  
 1-800-424-9300 (North America)  
 +1-703-527-3887 (International)

### 2. HAZARDS IDENTIFICATION

#### Classification

**Physical Hazard:** Not classified.  
**Health Hazard:** Not classified.

#### Label Elements

**Symbol**  
 No Symbol/No Pictogram.

**Signal Word**  
 No signal word.

**Hazard Statement(s):** Not applicable.

**Precautionary Statement(s):** Not applicable.

**Hazards Not Otherwise Classified:** Not applicable.

**Ingredients(s) with Unknown Acute Toxicity:** Not applicable.

### 3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

**Substance:** Mineral oil, commercial non-volatile paraffin oil

**Other Designations:** White mineral oil, petroleum; mineral oil; white oil; bath oil; highly refined mineral oil

Components are listed in compliance with OSHA's 29 CFR 1910.1200.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
White mineral oil	8042-47-5	232-455-8	100

---

## 4. FIRST AID MEASURES

---

### Description of First Aid Measures

**Inhalation:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

**Skin Contact:** Remove contaminated clothing, jewelry, and shoes immediately. Wipe all material off skin before washing. Wash with soap or mild detergent and large amounts of water until no evidence of chemical remains (at least 15 to 20 minutes). Get medical attention, if needed.

**Eye Contact:** Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

**Ingestion:** DO NOT induce vomiting. If vomiting occurs, keep head lower than hips to help prevent aspiration. Get medical attention.

**Most Important Symptoms/Effects, Acute and Delayed:** Exposure may irritate the eyes, skin, and respiratory system.

**Indication of any immediate medical attention and special treatment needed, if necessary:** If any of the above symptoms are present, seek immediate medical attention.

---

## 5. FIRE FIGHTING MEASURES

---

**Fire and Explosion Hazards:** Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

### Extinguishing Media

Suitable: Dry chemical, carbon dioxide, foam or water spray is recommended.

Unsuitable: None listed.

**Specific Hazards Arising from the Chemical:** Not applicable.

**Special Protective Equipment and Precautions for Fire-Fighters:** Move container from fire area if it can be done without personal risk. Avoid inhalation of material or combustion by-products. Wear full protective clothing and NIOSH-approved self-contained breathing apparatus (SCBA).

**NFPA Ratings** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 0

Fire = 1

Reactivity = 0

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions, Protective Equipment and Emergency Procedures:** Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

**Methods and Materials for Containment and Clean up:** Do not touch spilled material. Absorb with sand or other non-combustible material and collect in appropriate container for proper disposal.

---

## 7. HANDLING AND STORAGE

---

**Safe Handling Precautions:** Use suitable personal protection equipment (PPE). See Section 8, "Exposure Controls and Personal Protection".

**Storage and Incompatible Materials:** Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances.

---

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

**Exposure Limits:** There are no occupational exposure limits established for white mineral oil. The exposure limits for oil mists (if generated) are provided below as a reference.

ACGIH (TLV):     5 mg/m<sup>3</sup> (TWA)  
                      10 mg/m<sup>3</sup> (STEL)

**Engineering Controls:** Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

**Personal Protection Measures:** In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate PPE to minimize exposure to this material.

**Respiratory Protection:** If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

**Eye Protection:** Splash resistant safety goggles and emergency eyewash are recommended.

**Skin and Body Protection:** Chemical resistant clothing and gloves are recommended.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Descriptive Properties	White mineral oil
Molar Mass (g/mol)	varies
Molecular Formula	not applicable
Appearance (physical state, color, etc.) <sup>c</sup>	clear, colorless liquid
Odor	faint
Odor threshold	not available
pH	not available
Evaporation rate	negligible
Melting point/freezing point	not available
Relative Density as Specific Gravity (water = 1)	0.6 to 0.9 at 15.6 °C <sup>(a)</sup>
Vapor Pressure	negligible
Vapor Density (air = 1)	not available
Viscosity	not available
Solubilities	insoluble in water; soluble in hydrocarbons
Partition coefficient (n-octanol/water)	not available
<b>Thermal Stability Properties</b>	
Autoignition Temperature	366 °C (691 °F)
Thermal Decomposition	not available
Initial boiling point and boiling range	>315 °C (>599 °F) <sup>(a)</sup>
Explosive Limits, LEL (Volume %)	not available
Explosive Limits, UEL (Volume %)	not available
Flash Point (Closed Cup)	>210 °C (>410 °F) <sup>(a)</sup>
Flammability (solid, gas)	not available

<sup>(a)</sup> Vendor supplied health and safety information.

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** Stable at normal temperatures and pressure.

**Stability:**   X   Stable        Unstable

**Possible Hazardous Reactions:** Not applicable.

**Conditions to Avoid:** Avoid heat, flames, sparks, and other ignition sources. Avoid contact with incompatible materials. Bottle may rupture or explode if exposed to heat.

**Incompatible Materials:** Oxidizing materials.

**Hazardous Decomposition:** Oxides of carbon and other compounds of silicon.

**Hazardous Polymerization:**        Will Occur   X   Will Not Occur

---

## 11. TOXICOLOGICAL INFORMATION

---

**Route of Exposure:**   X   Inhalation   X   Skin   X   Ingestion

**Symptoms Related to the Physical, Chemical and Toxicological Characteristics:** Exposure may irritate the eyes, skin, and respiratory system.

### Potential Health Effects (Acute, Chronic, and Delayed)

**Inhalation:** Inhalation of oil mists may cause irritation of respiratory tract.

**Skin Contact:** Contact may cause irritation. Oil folliculitis may arise as a result of chemical irritation and mechanical plugging of the hair follicles.

**Eye Contact:** Contact may cause irritation. Chronic exposure may result in conjunctivitis.

**Ingestion:** Ingestion may cause gastrointestinal disturbances such as nausea, vomiting, and diarrhea.

### Numerical Measures of Toxicity

**Acute Toxicity:** Not classified.

Rat, Oral LD50: >5000 g/kg

**Skin Corrosion/Irritation:** Not classified; no data available.

**Serious Eye Damage/Irritation:** Not classified; no data available.

**Respiratory Sensitization:** Not classified; no data available.

**Skin Sensitization:** Not classified; no data available.

**Germ Cell Mutagenicity:** No data available.

**Carcinogenicity:** Not classified.

**Listed as a Carcinogen/Potential Carcinogen**            Yes   X   No

White mineral oil is not listed by OSHA, IARC, or NTP as a carcinogen/potential carcinogen.

**Reproductive Toxicity:** Not classified; no data available.

**Specific Target Organ Toxicity, Single Exposure:** Not classified; no data available.

**Specific Target Organ Toxicity, Repeated Exposure:** Not classified; no data available.

**Aspiration Hazard:** Not applicable.

---

## 12. ECOLOGICAL INFORMATION

---

**Ecotoxicity Data:** Bluegill (*Lepomis macrochirus*) LC50: >10 000 mg/L (96 h)

**Persistence and Degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other Adverse effects:** No data available.

---

## 13. DISPOSAL CONSIDERATIONS

---

**Waste Disposal:** Dispose in accordance with all applicable federal, state, and local regulations.

---

## 14. TRANSPORTATION INFORMATION

---

**U.S. DOT and IATA:** Not regulated by DOT and IATA.

---

## 15. REGULATORY INFORMATION

---

### U.S. Regulations

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21)

ACUTE HEALTH: No  
CHRONIC HEALTH: No  
FIRE: No  
REACTIVE: No  
PRESSURE: No

**State Regulations**

California Proposition 65: Not listed.

**U.S. TSCA Inventory:** Listed.

**TSCA 12(b), Export Notification:** Not listed.

**Canadian Regulations:** WHMIS Information is not provided for this material.

---

**16. OTHER INFORMATION**

---

**Issue Date:** 06 October 2015

**Sources:** ChemADVISOR, Inc., SDS *White Mineral Oil*, 21 March 2015.

Conostan, Vendor SDS, *75cst Base Oil*, 26 January 2015.

**Key of Acronyms:**

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration	STOT	Specific Target Organ Toxicity
LD50	Median Lethal Dose or Lethal Dose, 50 %	STEL	Short Term Exposure Limit
LEL	Lower Explosive Limit	TLV	Threshold Limit Value
MSDS	Material Safety Data Sheet	TPQ	Threshold Planning Quantity
NFPA	National Fire Protection Association	TSCA	Toxic Substances Control Act
NIOSH	National Institute for Occupational Safety and Health	TWA	Time Weighted Average
NIST	National Institute of Standards and Technology	UEL	Upper Explosive Limit
n.o.s.	Not Otherwise Specified	WHMIS	Workplace Hazardous Materials Information System

**Disclaimer:** Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail [srmmsds@nist.gov](mailto:srmmsds@nist.gov); or via the Internet at <http://www.nist.gov/srm>.